

Sales Adviser: Vehicle Data Code Inquiry

Serial: JY8634	Bld: S	Qty: 8	VIN: 3AKJHHDR9KSJY8634	Specifications
Split Range: JY8634/JY8641	Customer: WASATCH EQUI	Base Model: PT126SLP		
TSO No: 25183	Salesperson: KEN BARTON	Cab Size: 126		
Pilot:	Coordinator: GARY GATTO	Sleeper Size: 72		
Open TCO: N 006	Customer Acct: W66696	Paint: 1		
Schedule		Key Code:		
Status: SCHEDLD	Shipping/Pricing	Engine: DD15		
Status Date: 05/21/2018	Transit Start	Transmission: DTOH16		
Order Recvd: 09/05/2017	Dt:	Aux Tran:		
Request Date: 06/01/2018	Est. Arrival Dt:	FT Axle: S125D		
Latest Accept: 06/01/2018	Dlr Recvd Dt:	RR Axle: T40M-308		
Projected Completion: 06/10/2018	Specon Dt:	Tag/Push:		
Orig Project: 05/27/2018	Invoice Dt:	Suspension: FA240000		
Order Rlse: 03/07/2018	Retail Sale:	TSO Processing: COMPLETE		
Ship Method: DRIVEABLE	Concession #: 1D1555	Engineering CWOS: COMPLETE		
	Price Level: PRL-15K	Pricing Issues: INCOMPLETE		
	THE PREMIER TRUCK			
	GROUP			
	1804 NORTHEAST LOOP			
	820			
	FORT WORTH, TX 76106			
	USA			
	CHAD PEDDINGTON			
	817-626-7090			
	Approval Date: 3/13/2018			
	TCO			
	Approval: 2			

<u>DBCode</u>	<u>OTCONotes</u>	<u>Description</u>	<u>Value</u>	
	002	PRICE LEVEL INFORMATION		
PRL-15K	002	NEW CASCADIA PRL-15K (EFF:9/1/16)		
	002	GENERAL APPLICATION INFORMATION		
AA1-001	D	TRACTOR/TRAILER CONFIGURATION		
AA6-001	D	DOMICILED, USA 50 STATES (INCLUDING CALI		
	D	FORNIA AND CARB OPT-IN STATES)		
A85-005	D	LINEHAUL/LONG HAUL SERVICE		
A84-1GF	D	GENERAL FREIGHT BUSINESS SEGMENT		
AA3-998	D	NO BODY SPECIFIED		
AA2-001	D	VAN TRAILER		
AH6-001	D	SINGLE (1) TRAILER		
AA5-002	D	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN		
	D	TRANSIT, IS SPENT ON PAVED ROADS		
AB5-001	D	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO		
	D	ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA		
	D	D SURFACE		
AB1-008	D	MAXIMUM 8% EXPECTED GRADE		
AA4-001	D	GENERAL FREIGHT COMMODITY		
A66-99D	D	EXPECTED FRONT AXLE(S) LOAD	12350	LBS
A68-99D	D	EXPECTED REAR DRIVE AXLE(S) LOAD	34000	LBS
A67-99D	D	EXPECTED PUSHER AXLE(S) LOAD	0	LBS
A63-99D	D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	46350	LBS
A70-99D	D	EXPECTED GROSS COMBINATION WEIGHT	80000	LBS
AC8-99D	S 002	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	91.339	IN

A79-99D	S 002	EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5	IN
A78-99D	S 002	EXPECTED MAXIMUM TRAILER DIP ANGLE	4	DEG
AL7-99D	S 002	CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	20	IN
AM5-99D	S 002	CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	62.819	IN
AL9-99D	S 002	CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	72	IN
AC3-99D	S 004	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	93.461	MPH
AM3-99D	S 004	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	37.893	IN
AM2-99D	S 004	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	39.387	IN
AM0-99D	S 004	TOP OF FRM TO RR TIRE TOP-UNLD	-1.313	IN
	002	MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	S 002	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12350	LBS
A59-99D	S 002	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
A60-99D	S 002	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	S 002	RATED MAXIMUM VEHICLE CAPACITY - GVWR	52350	LBS
	002	BASE MODEL		
001-234	D	NEW CASCADIA 126 INCH SLEEPER/CAB	F 9765	R 7724
004-219	S 002	2019 MODEL YEAR SPECIFIED		
024-010	D	ELITE EXTERIOR APPEARANCE PACKAGE		
028-998	D	NO OPTIMIZED POWER TRAIN PACKAGE		
066-998	H004	NO FUEL EFFICIENCY/AERODYNAMIC PACKAGE		
	004	N/A WITH 50U-998		
995-1AD	D	FREIGHTLINER LEVEL I WARRANTY		
AF3-2CR	D	TRACTOR ONLY WITH NO BODY UPFIT		
002-002	D	SET BACK AXLE - TRACTOR		
019-998	D	NO TRUCK PROVISION PACKAGE		
003-001	D	LH PRIMARY STEERING LOCATION		
	002	ENGINE		
101-2YH	D	DETROIT DD15 14.8L 505 HP @ 1625 RPM, 19		
	D	00 GOV RPM, 1650 LB/FT @ 975 RPM		
99C-017	D	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/F		
	D	INAL GHG17 CONFIGURATION		
99Z-004	S 002	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D		
	S	OES NOT HAVE REGULATORY VEHICLE SPEED LI		
	S	MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN		
	S	(AES)		
99D-011	D	2008 CARB EMISSION CERTIFICATION - CLEAN		
	D	IDLE (INCLUDES 6X4 INCH LABEL ON LOWER		
	D	FORWARD CORNER OF DRIVER DOOR)		
992-001	S 002	50 STATE EMISSIONS CERTIFICATION		
28F-014	D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC		
	D	OVER THE ROAD REGENERATION AND VIRTUAL R		
	D	EGENERATION REQUEST SWITCH IN CLUSTER		
79A-070	D004	70 MPH ROAD SPEED LIMIT		
79B-009	D	CRUISE CONTROL SPEED LIMIT 3 MPH HIGHER		
	D	THAN ROAD SPEED LIMIT, WITH AUTO RESUME		
	D	AFTER SHIFT		
79C-998	D	NO DRIVER FUEL ECONOMY INCENTIVE		
79D-998	D	NO PROGRESSIVE SHIFTING		
79E-998	D	NO LOW RANGE TORQUE PROTECT		
79F-013	D	FLEET MANAGEMENT - DAILY ENGINE USAGE EN		
	D	ABLED		
79G-006	D	5 MINUTES IDLE SHUTDOWN WITH CLUTCH AND		
	D	SERVICE BRAKE OVERRIDE		
79J-998	D	NO PTO SHUTDOWN CONFIGURATION		
79K-998	D	NO PTO MODE ENGINE RPM LIMIT, PTO 1		
79L-998	D	PTO MODE THROTTLE OVERRIDE DISABLED		
79M-998	D	PTO MODE BRAKE OVERRIDE - DISABLED		

79N-998	D	NO PTO MODE CLUTCH OVERRIDE		
79P-998	D	NO PTO RPM WITH CRUISE SET SWITCH		
79Q-998	D	NO PTO RPM WITH CRUISE RESUME SWITCH		
79R-998	D	NO PTO MODE COOLING FAN		
79S-998	D	NO PTO MODE CANCEL VEHICLE SPEED		
79T-998	D	NO PTO MODE RPM INCREMENT		
79U-998	D	NO PTO GOVERNOR RAMP RATE		
79V-998	D	NO PTO MODE DPF REGEN		
79W-998	D	REMOTE PTO DISABLED		
79X-998	D	NO PTO 1 SET SPEED		
79Y-998	D	NO PTO 2 SET SPEED		
79Z-998	D	NO PTO 3 SET SPEED		
80A-998	D	NO ALTERNATE ROAD SPEED LIMIT		
80B-998	D	NO CHECK ENGINE LIGHT ON OVERSPEED		
80C-012	D	ENGINE BRAKE WITH GLOBAL CRUISE CONTROL		
	D	ENABLED		
80D-998	D	NO SOFT CRUISE CONTROL		
80E-998	D	NO ENGINE FAN WITH RETARDER		
80F-998	D	NO MAINTENANCE MONITOR		
80G-998	D	NO PTO MINIMUM RPM		
80H-998	D	NO ACCELERATION MANAGEMENT		
80J-998	D	NO REGEN INHIBIT SPEED THRESHOLD		
80R-000	S 002	DRIVELINE TORQUE PROTECTION - ENABLED		
85J-004	S 002	REVERSE GEAR RANGE LIMITED TO 2ND GEAR		
	002	ENGINE EQUIPMENT		
13E-001	D	STANDARD OIL PAN		
105-001	D	ENGINE MOUNTED OIL CHECK AND FILL		
104-021	D	SPEEDCLICK OIL DRAIN VALVE		
133-004	D	ONE PIECE VALVE COVER		
014-1CT	D	DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE		
	D	MOUNTED AIR CLEANER		
124-1DJ	D	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOU		
	D	NT PAD ALTERNATOR WITH REMOTE BATTERY VO		
	D	LT SENSE		
292-1AU	D	(4) ALLIANCE MODEL 7T31, GROUP 31, 12 VO		
	D	LT MAINTENANCE FREE 2920 CCA THREADED ST		
	D	UD BATTERIES		
29H-998	D	NO AUXILIARY BATTERIES		
290-1D3	D	STEEL BATTERY BOX WITH ENCLOSED TRAY		
29G-998	D	NO AUXILIARY BATTERY BOX		
282-001	D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE		
	D	UNDER CAB		
29E-998	D	NO AUXILIARY BATTERY BOX MOUNTING/LOCATI		
	D	ON		
291-017	D	WIRE GROUND RETURN FOR BATTERY CABLES WI		
	D	TH ADDITIONAL FRAME GROUND RETURN		
289-006	D	PLASTIC BATTERY BOX COVER		
29F-998	D	NO AUXILIARY BATTERY BOX COVER		
293-058	D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTE	F	8
	D	D CONTROL SWITCH MOUNTED OUTBOARD DRIVER		
	D	SEAT		
295-029	D	POSITIVE AND NEGATIVE POSTS FOR JUMPSTAR	F	2
	D	T LOCATED ON FRAME NEXT TO STARTER		
306-015	D	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12		
	D	.3 VOLTS FOR DESIGNATED CIRCUITS		

28E-001	S 002	12V POWERNET ARCHITECTURE		
80X-998	S 002	NO BATTERY MANAGEMENT SYSTEM		
180-1AP	D	DETROIT HEAVY DUTY AUTOMATED MANUAL TRAN		
	D	SMISSION CLUTCH		
183-998	D	NO CLUTCH BRAKE		
181-998	D	NO CLUTCH RELEASE BEARING LUBE		
107-044	D	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER		
	D	AIR COMPRESSOR WITH SAFETY VALVE		
108-002	D	STANDARD MECHANICAL AIR COMPRESSOR GOVER		
	D	NOR		
131-013	D	AIR COMPRESSOR DISCHARGE LINE		
152-041	D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT		
	D	ECTION SYSTEM		
128-002	D	JACOBS COMPRESSION BRAKE		
016-1C3	D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL		
	D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH		
	D	HORIZONTAL TAILPIPE		
239-001	D	STANDARD EXHAUST SYSTEM LENGTH		
233-998	D	NO EXHAUST BRIGHTWORK (PLAIN)		
237-052	D	RH STANDARD HORIZONTAL TAILPIPE		
23U-003	D	23 GALLON DIESEL EXHAUST FLUID TANK		
43W-001	S 002	STANDARD DIESEL EXHAUST FLUID SYSTEM COO		
	S	LANT PLUMBING		
30N-003	D	100 PERCENT DIESEL EXHAUST FLUID FILL		
23Z-998	D	NO DIESEL EXHAUST FLUID TANK COVER		
43Y-005	D	STANDARD DEF TANK CAP IN CENTER PANEL CU		
	D	TOUT		
242-998	D	NO MUFFLER/TAILPIPE SHIELD		
273-058	D	AIR POWERED ON/OFF ENGINE FAN CLUTCH		
276-001	D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC		
	D	H, NON ENGINE MOUNTED		
110-068	D	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/		
	D	FUEL WATER SEPARATOR WITH WATER-IN-FUEL		
	D	INDICATOR		
114-998	D	NO BYPASS OIL FILTER		
118-001	D	FULL FLOW OIL FILTER		
120-998	D	NO COOLANT FILTER		
165-998	D	NO OIL LEVEL REGULATOR/RESERVOIR		
266-1C1	D	1400 SQUARE INCH FUEL ECONOMY RADIATOR		
103-039	D	ANTIFREEZE TO -34F, OAT (NITRITE AND SIL		
	D	ICATE FREE) EXTENDED LIFE COOLANT		
171-007	D	GATES BLUE STRIPE COOLANT HOSES OR EQUIV		
	D	ALENT		
172-001	D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT		
	D	HOSES		
270-019	D	HDEP VARIABLE SPEED COOLANT PUMP AND RAD		
	D	IATOR DRAIN VALVE		
168-002	D	LOWER RADIATOR GUARD	F	5
360-998	D	NO FRONT ENGINE PTO		
361-998	D	NO REAR ENGINE PTO		
138-005	D	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK	F	4
	D	HEATER		
141-998	D	NO COOLANT HEATER - GAS/DSL		
166-998	D	NO OIL PREHEATER		
140-022	D	CHROME ENGINE HEATER RECEPTACLE MOUNTED		

	D	UNDER LH DOOR	
134-001	D	ALUMINUM FLYWHEEL HOUSING	
155-074	D	DELCO 12V MOD 3.175-39MT+ OCP STARTER WI	F -35
	D	TH THERMAL PROTECTION AND INTEGRATED MAG	
	D	NETIC SWITCH	
106-004	D	ELECTRONIC ACCELERATOR CONTROL WITH KICK	
	D	DOWN FEATURE	
	002	TRANSMISSION & EQUIPMENT	
342-2AV	D	DT12-1650-OH1 HEAVY DUTY 12-SPEED OVERDR	
	D	IVE AUTOMATED MANUAL TRANSMISSION	
343-2BK	D	DT12 PERFORMANCE PACKAGE: ECONOMY AND PE	
	D	RFORMANCE, WITH ICU CONTROL MENUS, WITH	
	D	KICKDOWN	
84B-998	D	NO TCU-VOCATIONAL RATING	
84C-998	D	NO TCU-PRIMARY MODE: GEARS	
84D-007	D	12 FORWARD GEARS SELECTABLE DT12 MANUAL	
	D	MODE	
97G-998	D	NO TRANSMISSION PROGNOSTICS	
34C-998	D	NO AUX/ACC TRANSMISSION WIRING	
345-078	D	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT	
	D	CONTROL, COLUMN MOUNTED	
347-002	D	ALUMINUM CLUTCH HOUSING	
370-002	D	AIR TO OIL TRANSMISSION COOLER	F 15
346-998	D	NO TRANSMISSION OIL CHECK AND FILL	
368-998	D	NO EXTERNAL TRANSMISSION OIL FILTER	
35T-003	D	SYNTHETIC TRANSMISSION LUBE	
341-017	D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI	
	D	ON FILL AND DRAIN, AXLE(S) FILL AND DRAI	
	D	N	
362-998	D	NO MAIN TRANSMISSION MOUNTED PTO	
363-998	D	NO PTO MOUNTING LOCATION SPECIFIED	
	002	FRONT AXLE, SUSPENSION & EQUIPMENT	
400-1G1	D	DETROIT DA-F-12.5-3 12,500# FF1 71.5 KPI	
	D	/3.74 DROP SINGLE FRONT AXLE	
402-075	D	BENDIX ADB22X AIR DISC FRONT BRAKES	
403-043	D	2011/2013-FMVSS 121 RSD FRONT BRAKE LINI	
	D	NG	
419-004	D	FRONT DISC BRAKE ROTORS	
427-998	D	NO FRONT BRAKE DUST SHIELDS	
409-006	D	FRONT OIL SEALS	
408-001	D	VENTED FRONT HUB CAPS WITH WINDOW, CENTE	
	D	R AND SIDE PLUGS - OIL	
416-022	D	STANDARD SPINDLE NUTS FOR ALL AXLES	
404-094	D	AIR DISC LONGSTROKE FRONT BRAKE CHAMBERS	
	QUOTE	POTENTIAL QUOTE BNFD 1705051428	
	QUOTE	POTENTIAL QUOTE BNFD 1707311505	
	QUOTE	POTENTIAL QUOTE BNFD 1711081606	
	QUOTE	POTENTIAL QUOTE BNFD 1801121700	
	QUOTE	POTENTIAL QUOTE BNFD 1801151525	
405-030	D	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS	
40P-998	D	NO FRONT AXLE ACCESSORIES	
536-050	D	TRW THP-60 POWER STEERING	
537-005	S 002	STEEL STEERING SHAFT	
539-003	D	POWER STEERING PUMP	
534-015	D	2 QUART SEE THROUGH POWER STEERING RESER	
	D	VOIR	
533-998	D	NO POWER STEERING OIL COOLER	

40T-002	D	SYNTHETIC 75W-90 FRONT AXLE LUBE
620-1F3	D	12,500# TAPERLEAF FRONT SUSPENSION
619-005	D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT
	D	SUSPENSION
410-001	D	FRONT SHOCK ABSORBERS
	002	REAR AXLE, SUSPENSION & EQUIPMENT
420-266	D	MT-40-14X HE 40,000# R-SERIES TANDEM REA
	D	R AXLE
421-308	D	3.08 REAR AXLE RATIO
424-001	D	IRON REAR AXLE CARRIER WITH STANDARD AXL
	D	E HOUSING
42T-001	D	STANDARD REAR AXLE BREATHER(S)
386-044	D	RPL25 MERITOR MAIN DRIVELINE
388-039	D	RPL20 MERITOR INTERAXLE DRIVELINE
393-998	D	NO DRIVELINE GUARD
452-998	D	NO TRACTION EQUALIZER
878-019	D	(1) INTERAXLE LOCK VALVE FOR TANDEM OR T
	D	RIDEM DRIVE AXLES
87A-005	D	INDICATOR LIGHT FOR EACH INTERAXLE LOCKO
	D	UT SWITCH
87B-998	D	NO DIFFERENTIAL LOCK WIRING/LOGIC
423-1AG	D	BENDIX 16.5X8.62L ES LIGHT WEIGHT SPIDER
	D	CAM REAR BRAKES, SINGLE ANCHOR
433-043	D	2011/2013-FMVSS 121 RSD REAR BRAKE LININ
	D	GS
434-005	D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE
	D	OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT
	D	BRACKETS
451-014	D005	MERITOR STEELLITE X30 REAR BRAKE DRUMS
425-998	D	NO REAR BRAKE DUST SHIELDS
440-006	D	REAR OIL SEALS
426-112	D	WABCO TRISTOP-D LONGSTROKE 30/36 2-DRIVE
	D	AXLE SPRING PARKING CHAMBERS
428-002	D	MERITOR AUTOMATIC REAR SLACK ADJUSTERS
41T-002	D	SYNTHETIC 75W-90 REAR AXLE LUBE
622-005	D	AIRLINER 40,000# REAR SUSPENSION
621-007	D	AIRLINER HIGH POSITION RIDE HEIGHT
431-001	D	STANDARD AXLE SEATS IN AXLE CLAMP GROUP
624-016	D	51 INCH AXLE SPACING
628-998	D	NO SUSPENSION BEAMS
888-048	D	MANUAL DUMP VALVE FOR AIR SUSPENSION WIT
	D	H GAUGE
87D-007	D	INDICATOR LIGHT AND BUZZER FOR EACH REAR
	D	SUSPENSION CONTROL SWITCH
910-001	D	SINGLE AIR REAR SUSPENSION LEVELING VALV
	D	E
623-002	D	TRANSVERSE CONTROL RODS
439-005	D	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM
	D) (AIR RIDE SUSPENSION)
035-998	D	NO DEAD AXLE PACKAGE
443-998	D	NO PUSHER OR TAG AXLE
456-998	D	NO PUSHER/TAG BRAKES
457-998	D	NO BRAKE LINING-PUSHER/TAG(SCO)
448-998	D	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA
	D	G

429-998	D	NO PUSHER/TAG BRAKE DUST SHIELDS	
442-998	D	NO PUSHER OR TAG OIL SEALS	
444-998	D	NO PUSHER OR TAG HUB CAPS	
445-998	D	NO PUSHER OR TAG BRAKE CHAMBERS	
458-998	D	NO PUSHER/TAG SLACK ADJUSTERS	
626-998	D	NO PUSHER OR TAG SUSPENSION	
627-998	D	NO PUSHER/TAG AXLE SPACING	
874-998	D	NO PUSHER/TAG AXLE LIFT	
87F-998	D	NO LIFT AXLE WIRING/LOGIC	
896-998	D	NO PLUMBING FOR LIFT AXLE	
	002	BRAKE SYSTEM	
490-1AT	D	WABCO 4S/4M ABS WITH HILL START AID AND	
	D	AUTOMATIC TRACTION CONTROL WITH ATC SHUT	
	D	OFF SWITCH	
871-001	D	REINFORCED NYLON, FABRIC BRAID AND WIRE	
	D	BRAID CHASSIS AIR LINES	
904-001	D	FIBER BRAID PARKING BRAKE HOSE	
412-001	D	STANDARD BRAKE SYSTEM VALVES	
413-002	D	STD U.S. FRONT BRAKE VALVE	
432-003	D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,	
	D	NO REAR PROPORTIONING VALVE	
480-083	D	WABCO SS-1200 PLUS AIR DRYER WITH INTEGR	
	D	AL AIR GOVERNOR AND HEATER	
479-015	D	AIR DRYER FRAME MOUNTED	
483-004	D	WABCO OIL COALESCING FILTER FOR AIR DRYE	
	D	R	
460-001	D	STEEL AIR BRAKE RESERVOIRS	
46A-040	D	(1) 700 CUBIC INCH ALUMINUM TRANSMISSION	
	D	AIR TANK, INLET CHECK VALVE	
607-004	D	CLEAR FRAME RAIL 36 INCHES FROM BACK OF	
	D	CAB OUTBOARD OF RH FRAME RAIL	
46D-002	D	STANDARD AIR SYSTEM PRESSURE PROTECTION	
	D	SYSTEM	
QUOTE		POTENTIAL QUOTE BNFD 1704051437	
QUOTE		POTENTIAL QUOTE BNFD 1705051428	
QUOTE		POTENTIAL QUOTE BNFD 1707311505	
QUOTE		POTENTIAL QUOTE BNFD 1801121700	
QUOTE		POTENTIAL QUOTE BNFD 1801151525	
477-004	D	PULL CABLES ON ALL AIR RESERVOIR(S)	
485-998	D	NO EXTERNAL CHARGING GLADHAND	
481-048	D	12 FOOT COILED TRAILER AIR HOSE WITH 45	F 12
	D	DEGREE FITTINGS AT BACK OF CAB WITH 48 I	
	D	NCH TRACTOR, 12 INCH TRAILER LEADS	
476-002	D	36 INCH STAINLESS STEEL SLIDE BAR WITH S	
	D	PRING TYPE AIR HOSE HANGER	
914-998	D	NO PLUMBING FOR AIR TO END OF FRAME	
919-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING,	
	D	VALVES, OR AIR UNLOADER SYSTEM	
484-032	D	COMBINATION DUMMY GLAD HANDS AND LIGHT P	
	D	LUG HOLDER MOUNTED LH BACK OF CAB WITH G	
	D	ROUND ACCESS	
296-010	D	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR S	
	D	EPARATE STOP/TURN, ABS CENTER PIN POWERE	
	D	D THROUGH IGNITION	

297-027	D	SAE J560 7-WAY PRIMARY TRAILER CABLE REC			
	D	EPTACLE MOUNTED LOWER LH BACK OF CAB			
32A-007	D	SIGNAL DETECTION AND ACTUATION MODULE			
308-998	D	NO SUPPLEMENTAL TRAILER CABLE WIRING			
331-998	D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R			
	D	ECEPTACLE			
303-998	D	NO ADDITIONAL TRAILER CABLE RECEPTACLE			
30K-998	D	NO HIGH CURRENT RECEPTACLE/WIRING			
30L-998	D	NO HIGH CURRENT TRAILER/BODY CABLE			
334-998	D	NO ADDITIONAL SUPPLEMENTAL 7-WAY			
	D	TRAILER CABLE RECEPTACLE			
310-082	D	12 FOOT DETACHABLE COILED PRIMARY TRAILER			
	D	R ELECTRICAL CABLE WITH SAE J560 CONNECT			
	D	OR WITH 48 INCH TRACTOR, 12 INCH TRAILER			
	D	LEADS			
309-998	D	NO SUPPLEMENTAL TRAILER ELEC CABLE			
	002	FRAME & WHEELBASE			
545-582	D	5825MM (229 INCH) WHEELBASE			
546-1B9	D	7.0MM X 88.0MM X 279.0MM STEEL FRAME (0.			
	D	28X3.46X10.98 INCH) 120 KSI			
547-998	D	NO INNER FRAME REINFORCEMENT			
552-026	H004	1425MM (56 INCH) REAR FRAME OVERHANG			
AB8-99D	S004	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.564		%
553-002	D	FLANGED TAPERED END OF FRAME			
550-001	D	FRONT CLOSING CROSSMEMBER			
559-003	D	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE C			
	D	ROSSMEMBER			
562-001	D	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
565-001	D	STANDARD SUSPENSION CROSSMEMBER			
572-005	D004	HOSTLER 3,500# CAPACITY TOWING REAR CROS			
	D	SMEMBER			
587-090	D004	HOSTLER-HOLLAND PH-10RP41 PINTLE HITCH			
588-998	D	NO REAR TOW DEVICE HEIGHT			
	002	CHASSIS EQUIPMENT			
674-001	D	LH BACK OF CAB ACCESS			
592-055	D	28 INCH (700MM) DECK PLATE FLUSH MOUNTED			
	D	BETWEEN RAILS			
556-1G7	D	PAINTED AERODYNAMIC BUMPER WITH CHROME O			
	D	VERLAY			
557-998	D	NO BUMPER STEP(S)			
558-033	D	REMOVABLE FRONT TOW HOOKS STORED ON THE	F	25	
	D	CHASSIS FRAME			
574-007	D	BUMPER MOUNTING FOR (3) LICENSE PLATES			
585-1AJ	D	BETTS B-7 STAINLESS STEEL MUDFLAP BRACKE			R 10
	D	TS			
590-001	D	BLACK MUDFLAPS			
586-015	D	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS			
576-010	D	(1) PRO-TECH TA-5951 24 INCH CHAIN HANGE	F	20	R 30
	D	R WITH HINGED LID			
551-003	D	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS			
	D	EXCLUDING FIFTH WHEEL			
583-074	D	PLASTIC QUARTER FENDERS WITHOUT LOGO WIT			R 25
	D	H AERODYNAMIC SPOILER			
602-998	D	NO TOOL/STORAGE BOX #1			
61B-998	D	NO TOOL/STORAGE BOX #1 MOUNTING LOCATION			
603-998	D	NO TOOL/STORAGE BOX #2			
61C-998	D	NO TOOL/STORAGE BOX #2 MOUNTING LOCATION			

609-998	D	NO STORAGE BOX BRIGHTWORK			
599-998	D	NO AUXILIARY FUEL DRIVEN POWER UNIT			
69N-998	D	NO AUXILIARY POWER UNIT PLUMBING			
600-998	D	NO CAB GUARD			
604-998	D	NO TIRE CARRIER			
794-998	D	NO JACK OR WHEEL WRENCH PROVISION			
601-998	D	NO BODY BUILDER DIAGRAMS			
	002	FIFTH WHEEL & EQUIPMENT			
578-1U6	D	JOST JSK36 SERIES 24.0 INCH AIR SLIDE FI			
	D	FTH WHEEL WITH LIGHTWEIGHT TOP PLATE - 2			
	D	INCH SLIDE INCREMENTS			
577-508	D	FIFTH WHEEL 508MM (20.0 INCHES) AHEAD OF			
	D	SUSPENSION CENTERLINE			
580-998	D	NO ADDITIONAL FIFTH WHEEL DRILLINGS			
582-013	D	171MM (6.75 INCH) FIFTH WHEEL HEIGHT			
A03-99D	S004	CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.5"	46.137		IN
570-001	D	OUTBOARD ANGLE - FIFTH WHEEL MOUNTING			
890-001	D	DASH MOUNTED CONTROL VALVE AND PLUMBING			
	D	FOR FIFTH WHEEL			
579-005	D	LH FIFTH WHEEL RELEASE			
591-998	D	NO FIFTH WHEEL ADD-ONS			
581-998	D	NO FIFTH WHEEL RAMP			
	002	FUEL TANK(S) & EQUIPMENT			
206-158	D	120 GALLON/453 LITER ALUMINUM FUEL TANK	F	5	R 5
	D	- RH			
201-998	D	NO RH AUXILIARY FUEL TANK			
204-158	D	120 GALLON/453 LITER ALUMINUM FUEL TANK	F	10	
	D	- LH			
200-998	D	NO LH AUXILIARY FUEL TANK			
203-998	D	NO HYDRAULIC OIL TANK			
218-006	D	25 INCH DIAMETER FUEL TANK(S)			
215-005	D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU			
	D	LIC TANK(S) WITH PAINTED BANDS			
212-008	D	FUEL TANK(S) AFT			
232-998	D	NO ADDITIONAL FUEL PROVIDED			
664-002	D	POLISHED STEP FINISH			
207-998	D	NO FUEL TANK SCREENS			
205-001	D	FUEL TANK CAP(S)			
210-998	D	NO FUEL TANK DRAIN VALVES			
220-998	D	NO FUEL HEATER			
122-1H2	D	DETROIT FUEL/WATER SEPARATOR WITH BYPASS	F	10	
	D	AND 12 VOLT PREHEATER			
216-020	D	EQUIFLO INBOARD FUEL SYSTEM			
20E-998	D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT			
	D	S			
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL L			
	D	INE			
213-998	D	NO FUEL LINE INSULATION			
221-998	D	NO FUEL COOLER			
	002	TIRES			
093-1KG	D	MICHELIN X LINE ENERGY Z 275/80R22.5 14			
	D	PLY RADIAL FRONT TIRES			
094-2HH	D004	BRIDGESTONE ECOPIA M760 295/75R22.5 14 P			
	D	LY RADIAL REAR TIRES			
095-998	D	NO PUSHER/TAG TIRES			

52M-001	D	FRONT TIRE/DISC WHEEL STATIC BALANCING W			
	D	ITH LEAD-FREE WEIGHTS			
	002	HUBS			
418-058	D	CONMET PRESET PLUS PREMIUM ALUMINUM FRON			
	D	T HUBS			
450-058	D	CONMET PRESET PLUS PREMIUM ALUMINUM REAR			
	D	HUBS			
449-998	D	NO PUSHER OR TAG HUBS			
	002	WHEELS			
502-1F7	D	ACCURIDE 41644 ACCU-LITE 22.5X8.25 10-HU	F	-50	
	D	B PILOT 5.72 INSET ALUMINUM DISC FRONT W			
	D	HEELS			
505-1F7	D	ACCURIDE 41644 ACCU-LITE 22.5X8.25 10-HU			R -200
	D	B PILOT ALUMINUM DISC REAR WHEELS			
509-998	D	NO PUSHER/TAG DISC WHEELS			
511-998	D	NO SPARE WHEEL			
524-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE			
	D	AN BUFF OR BRUSHED FINISH FRONT WHEELS			
525-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE			
	D	AN BUFF OR BRUSHED FINISH REAR WHEELS			
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE			
	D	AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE			
	D	ELS			
50U-998	D004	NO REAR AXLE WHEEL/HUB COVER			
496-011	D	FRONT WHEEL MOUNTING NUTS			
497-011	D	REAR WHEEL MOUNTING NUTS			
498-059	D	ALLIGATOR V2B CAPS WITH NYLON WHEEL GUAR			
	D	DS FRONT AND REAR AT ALL INTERFACES			
	002	CAB EXTERIOR			
829-111	D	126" BBC ALUMINUM CONVENTIONAL CAB			
825-002	S002	STANDARD DENSITY COMPOSITE CAB ROOF			
653-004	D	RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP			
651-004	D	LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP			
055-998	D	NO INTERIOR CONVENIENCE PACKAGE			
056-998	D	NO MAINTENANCE PACKAGE			
057-998	D	NO NEW CASCADIA SAFETY PACKAGE			
682-077	D	72 INCH RAISED ROOF SLEEPERCAB			
784-074	D	RAISED ROOF AERODYNAMIC SPOILER			
783-024	D	20 INCH CAB/SLEEPERCAB SIDE EXTENDERS WI	F	10	R 10
	D	TH BLACK FLEXIBLE ENDS AND CHASSIS FAIRI			
	D	NG GAP FILLER PANEL			
82A-011	D	UNDER CAB VANITY PANELS			
782-026	D	PAINTED FRAME SIDE FAIRINGS TO BACK OF S	F	125	R 85
	D	IDE EXTENDERS			
78H-998	D	NO DRIVE WHEEL FAIRINGS - CHASSIS			
770-001	D	AERODYNAMIC SKIRT FOR CHASSIS FAIRINGS			
779-001	D	LATCHED FRONT LEFT SIDE FAIRING PANEL FO			
	D	R BATTERY ACCESS			
704-037	D	LH AND RH BAGGAGE DOORS			
650-008	D	AIR CAB MOUNTING			
648-002	D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR			
	D	ILLE			
695-998	D	NO SLEEPER DOOR			
678-053	D	INTERIOR GRAB HANDLES WITH ADDED LOWER L			
	D	H AND RH A PILLAR GRAB HANDLES			

646-010	D	CHROME GRILLE WITH INTEGRAL SURROUND			
644-001	D	AERODYNAMIC HOOD			
65X-007	D	BLACK HOOD MOUNTED AIR INTAKE GRILLE WIT			
	D	H BRIGHT ACCENT			
652-026	D	NEW CASCADIA NAMEPLATE			
690-010	D	ENGINE COMPARTMENT PREMIUM NOISE ABATEME			
	D	NT AND INSULATION			
QUOTE		POTENTIAL QUOTE BNFD 1705051428			
727-1AY	D	SINGLE AIR HORN UNDER LH DECK			
726-001	D	SINGLE ELECTRIC HORN			
657-1CV	D	DOOR LOCKS AND IGNITION SWITCH KEYED THE			
	D	SAME WITH (4) KEYS			
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME			
319-998	D	NO ADVERTISING LAMP			
327-998	D	NO OTHER LIGHTS			
312-075	D	LED LOW BEAM AND HIGH BEAM HEADLIGHTS			
302-072	D	ROOF MOUNTED LED MARKER LIGHTS			
314-998	D	NO ROADLIGHTS			
315-070	D	LED FOG LIGHTS	F	6	
311-001	D	DAYTIME RUNNING LIGHTS			
316-998	D	NO SPOTLIGHTS			
294-050	D	FREIGHTLINER FLANGE MOUNTED LED STOP/TAI			R 5
	D	L/TURN/BACKUP LIGHTS BY TRUCK-LITE			
300-043	D	LED SIDE TURN SIGNAL			
318-1D7	D	(2) FLUSH LED UTILITY LIGHTS MOUNTED BAC			
	D				
	D	K OF CAB/SLEEPER			
596-011	D	(1) SET 4X4 LOAD LOCK CARRIERS MOUNTED L	F	15	
	D	H BACK OF CAB/SLEEPER			
744-1E5	D	DUAL BRIGHT FINISH HEATED AERODYNAMIC MI			
	D	RRORS WITH INTEGRAL CONVEX AND LH AND RH			
	D	REMOTE			
797-001	D	DOOR MOUNTED MIRRORS			
796-001	D	102 INCH EQUIPMENT WIDTH			
74A-998	D	NO AUXILIARY MIRROR			
74B-1B8	D	RH AND LH HEATED BRIGHT FINISH HOOD/FEND	F	8	
	D	ER MOUNTED MIRRORS			
713-998	D	NO PERMIT PLAQUE			
729-001	D	STANDARD SIDE/REAR REFLECTORS			
73A-002	D	REAR REFLECTIVE DEVICE			
787-998	D	NO SECURITY DEVICE			
677-998	D	NO CAB MOUNTED STEPS			
275-061	D	ELECTRIC HORN WARNING SYSTEM FOR PARK BR			
	D	AKE NOT SET WITH DOOR OPEN AND ALL IGNIT			
	D	ION KEY POSITIONS			
776-998	D	NO SLEEPER VENT	F	-10	
764-998	D	NO EXTERIOR SUN VISOR			
768-998	D	NO REAR WINDOW			
661-016	D	SOLAR TINTED DOOR GLASS LH AND RH WITH T			
	D	INTED FORWARD SIDE GLASS			
654-011	D	RH AND LH ELECTRIC POWERED WINDOWS			
766-998	D	NO FRONT ROOF WINDOW			
76Z-007	D	LH AND RH SOLAR TINTED AND SCREENED CRAN			
	D	K OUT SLEEPER CAP WINDOWS			
767-053	D	LH AND RH TINTED AND SCREENED SLIDING WI	F	4	R 4
	D	NDOWS			
663-019	D	1-PIECE TINTED ROPED-IN WINDSHIELD			
659-006	D	8 LITER WINDSHIELD WASHER RESERVOIR, CAB			

	D	MOUNTED, WITH FLUID LEVEL INDICATOR		
647-998	D	NO WINTERFRONT		
	002	CAB INTERIOR		
707-1D6	D	SADDLE TAN UP LEVEL INTERIOR		
70K-013	D	SADDLE TAN WITH OREGON ASH WOODGRAIN HAR		
	D	D TRIM		
706-034	D	STANDARD LH DOOR TRIM		
708-034	D	STANDARD RH DOOR TRIM		
772-001	D	BLACK MATS		
773-018	D	BLACK MAT IN SLEEPER AREA		
771-001	D	BLACK MATS IN BAGGAGE COMPARTMENT		
785-014	D	(2) DASH MOUNTED POWER OUTLETS AND COIN		
	D	TRAY		
64D-011	D	SLEEPER TALL CLOSET WITH WRITING SURFACE		
	D	AND UPPER STORAGE		
64E-011	D	MICROWAVE SHELF WITH UPPER STORAGE AND F		
	D	ACTORY INSTALLED REFRIGERATOR		
691-006	D	FORWARD ROOF MOUNTED CONSOLE WITH DOORS	F	2
	D	RH AND LH		
696-998	D	NO REAR FLOOR STORAGE		
692-998	D	NO STORAGE INTERIOR, REAR		
693-019	D	LH AND RH DOOR STORAGE POCKETS INTEGRATE		
	D	D INTO MOLDED DOOR PANELS		
741-020	D	STORAGE POCKET(S) MOUNTED INSIDE CABINET		
	D	DOOR(S)		
826-012	D	40 INCH WIDE LIFTABLE LOWER BUNK		
745-001	D	FOLDABLE UPPER BUNK		
666-005	D	TENT STYLE BUNK RESTRAINT FOR LOWER BUNK		
738-021	D	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
742-028	D	THERMOS HOLDER INBOARD OF DRIVER SEAT		
680-036	D	WING DASH WITH E-VAULT		
718-998	D	NO SLEEPER FAN		
720-011	D	5 LB. FIRE EXTINGUISHER MOUNTED IN LH BA	F	10
	D	GGAGE COMPARTMENT		
714-998	D	NO FIRST AID KIT		
700-014	D	HEATER, DEFROSTER AND AIR CONDITIONER WI		
	D	TH CONSTANT OUTLET TEMPERATURE CONTROL		
701-002	D	HVAC DUCTING WITH MAIN FRESH AIR FILTER		
703-005	D	MAIN HVAC CONTROLS WITH RECIRCULATION SW		
	D	ITCH		
689-076	D	AUXILIARY HVAC W/CONSTANT TEMP CONTROL,	F	15
	D	ESPAR D2 FUEL HEATER AND ESPAR DIGI CONT		
	D	ROLLER WITH TIMER, ENABLE WITH KEY OFF W		
	D	/O OPT IDLE OR W/PARK BRAKE W/OPT IDLE		
170-045	D	STANDARD HEATER PLUMBING WITH BALL SHUTO		
	D	FF VALVES AT SUPPLY LINES ONLY		
724-001	D	AUXILIARY HEATER PLUMBING		
QUOTE		POTENTIAL QUOTE BNFD 1705051428		
QUOTE		POTENTIAL QUOTE BNFD 1707311505		
QUOTE		POTENTIAL QUOTE BNFD 1801121700		
QUOTE		POTENTIAL QUOTE BNFD 1801151525		
130-033	D	DENSO HEAVY DUTY AIR CONDITIONER COMPRES		
	D	SOR		
698-001	D	RADIATOR MOUNTED AIR CONDITIONER CONDENS		
	D	ER		

702-002	D	BINARY CONTROL, R-134A			
739-034	D	PREMIUM INSULATION			
285-001	D	AUTOMATIC SELF-RESET CIRCUIT BREAKERS			
96R-002	S 002	STANDARD ELECTRICAL PROTECTIVE COATING,			
	S	GREASE ON BATTERY TERMINALS AND RED ENAM			
	S	EL PAINT IN ENGINE COMPARTMENT AND ON CH			
	S	ASSIS CONNECTIONS			
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
322-038	D	DOOR AND BUNK ACTIVATED LH AND RH BUNK M			
	D	OUNTED LED BAGGAGE COMPARTMENT LIGHTS			
324-1B2	D	PREMIUM LED CAB LIGHTING			
325-076	D	PREMIUM LED SLEEPER LIGHTING			
32C-998	D	NO SLEEPER/BAGGAGE LAMP WIRING			
655-005	D	LH AND RH ELECTRIC DOOR LOCKS			
64C-002	D	BRIGHT DOOR HANDLES			
740-004	D	SPRING LOWER MATTRESS AND FLAT FOAM UPPE			
	D	R MATTRESS			
66W-998	D	NO ENTRANCE DOOR CONTROL			
284-1AA	D	(3) 12 VOLT POWER OUTLETS IN BUNK AREA			
710-001	D	CAB PRIVACY CURTAIN	F	5	
719-017	D	BUILT-IN REFRIGERATOR	F	20	R 20
722-004	D	TRIANGULAR REFLECTORS WITHOUT FLARES MOU	F	10	
	D	NTED IN LH BAGGAGE COMPARTMENT			
756-1J6	D	PREMIUM 2.0 HIGH BACK AIR SUSPENSION DRI			
	D	VER SEAT WITH 2 AIR LUMBAR, INTEGRATED C			
	D	USHION EXTENSION, TILT AND ADJUSTABLE SH			
	D	OCK			
760-1J6	D	PREMIUM 2.0 HIGH BACK AIR SUSPENSION PAS			
	D	SENGER SEAT WITH 2 AIR LUMBAR, INTEGRATE			
	D	D CUSHION EXTENSION, TILT AND ADJUSTABLE			
	D	SHOCK			
759-005	D	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	F	8	
758-039	D	MORDURA CLOTH DRIVER SEAT			
761-039	D	MORDURA CLOTH PASSENGER SEAT			
763-1AD	D	3 POINT ADJUSTABLE D-RING RETRACTOR DRIV			
	D	ER AND FIXED D-RING RETRACTOR PASSENGER			
	D	SEAT BELTS WITH DRIVER SEAT BELT STATUS			
	D	INDICATOR LIGHT AND AUDIBLE ALARM			
725-998	D	NO SUPPLEMENTAL RESTRAINT SYSTEM			
66Q-998	D	NO EXERCISE PROVISIONS			
71U-998	D	NO MEDICAL DEVICE			
709-006	D	SLEEPER CURTAIN			
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING			
	D	COLUMN			
540-070	D	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED			
	D	STEERING WHEEL WITH CHROME SWITCH BEZELS			
765-007	D	DRIVER AND PASSENGER INTERIOR SUN VISORS			
	D	WITH VANITY MIRRORS			
	002	CONTROLS & INSTRUMENTS			
870-001	D	BLACK GAUGE BEZELS			
734-018	D	STANDARD CENTER INSTRUMENT PANEL			
486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUD			
	D	IBLE ALARM			
838-001	D	(1) SINGLE BRAKE APPLICATION AIR GAUGE			
840-001	D	DUAL NEEDLE PRIMARY AND SECONDARY AIR PR			

	D	ESSURE GAUGE		
198-025	D	INTAKE MOUNTED AIR RESTRICTION INDICATOR		
	D	WITHOUT GRADUATIONS		
721-998	D	NO BACKUP ALARM		
149-045	D	ELECTRONIC CRUISE CONTROL WITH INTELLIGE		
	D	NT POWERTRAIN MANAGEMENT AND CONTROLS ON		
	D	STEERING WHEEL SPOKES		
156-016	D	KEY OPERATED IGNITION SWITCH AND INTEGRA		
	D	L START POSITION WITH DDC OPTIMIZED IDLE		
	D	SYSTEM		
811-044	D	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH		
	D	TFT COLOR DISPLAY		
160-038	D	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE		
	D	CONNECTOR LOCATED BELOW LH DASH		
844-022	D	ELECTRIC FUEL GAUGE WITH SSI ELECTRONIC		
	D	FUEL SENDER		
845-011	D	FUEL FILTER RESTRICTION INDICATOR		
148-085	D	EMISSIONS LIMITED IDLE ADJUST		
866-019	D	DIGITAL DUAL REAR AXLE TEMPERATURE IN DR		
	D	IVER DISPLAY WITH SENSOR SHIELDS		
856-001	D	ELECTRICAL ENGINE COOLANT TEMPERATURE GA		
	D	UGE		
854-008	D	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER		
	D	DISPLAY		
864-022	D	DIGITAL TRANSMISSION OIL TEMPERATURE IN		
	D	DRIVER DISPLAY		
867-004	D	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DI		
	D	SPLAY IN DRIVER MESSAGE CENTER		
830-017	D	ENGINE AND TRIP HOUR METERS INTEGRAL WIT		
	D	HIN DRIVER DISPLAY		
438-998	D	NO HUBODOMETER		
372-998	D	NO PTO CONTROLS		
736-998	D	NO OBSTACLE DETECTION SYSTEM		
73K-998	D	NO SIDE OBJECT DETECTION SYSTEM		
73H-998	D	NO CAMERA/VIDEO/IMAGING SYSTEM		
49B-004	D	ELECTRONIC STABILITY CONTROL		
73B-998	D	NO LANE DEPARTURE WARNING SYSTEM		
852-002	D	ELECTRIC ENGINE OIL PRESSURE GAUGE		
679-998	D	NO OVERHEAD INSTRUMENT PANEL		
786-998	D	NO POSITIONING/LOCATING SYSTEM		
79H-998	S 002	NO GPS ANTENNA		
78A-998	D	NO POSITION/COMMUNICATION ACCESSORY		
746-116	D	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM	F	10
	D	, CD PLAYER, BLUETOOTH, IPOD INTERFACE A		
	D	ND USB AND AUXILIARY INPUTS, J1939		
747-001	D	DASH MOUNTED RADIO		
750-041	D	STANDARD SPEAKER SYSTEM		
753-046	D	AM/FM/WB INTEGRATED AERO-ROOF ANTENNA		
748-006	D	POWER AND GROUND WIRING PROVISION OVERHE		
	D	AD		
749-001	D	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
752-050	D	INTEGRATED AERO-ROOF CB ANTENNA		
78C-003	D	INTEROPERABLE SDAR ANTENNA		
737-012	D	FLAT SCREEN TV MOUNT WITH TV ANTENNA	F	20
810-027	D	ELECTRONIC MPH SPEEDOMETER WITH SECONDAR		
	D	Y KPH SCALE, WITHOUT ODOMETER		

817-001	D	STANDARD VEHICLE SPEED SENSOR
812-032	D	ELECTRONIC 2500 RPM TACHOMETER
813-1C8	D	DETROIT CONNECT PLATFORM HARDWARE
8D1-105	D	5 YEARS DETROIT CONNECT BASE PACKAGE (VIR
	D	TUAL TECHNICIAN, REMOTE UPDATES, DETROI
	D	T CONNECT PORTAL ACCESS) DETROIT CONNECT
	D	PLATFORM
6TS-998	D	NO TELEMATICS SYSTEM - WIRING
81Y-005	D	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR
	D	LAMPS ONLY
80K-001	D	TEMPERATURE OVERRIDE BELOW 20 DEGREES AN
	D	D ABOVE 70 DEGREES AMBIENT TEMPERATURE
80L-003	D	ENABLE DPF REGEN ZONE 1 WITH AUTO ENGINE
	D	RPM ELEVATE FOR EXTENDED IDLE
80M-998	S 002	NO ALTERNATE PTO SPEED
80N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE
80P-998	D	NO FLEET SPEC FOR PARAMETERIZATION
80Q-998	S 002	NO VEHICLE SPEED LIMIT - GHG
162-020	D	IDLE SHUTDOWN OVERRIDE, DDEC 5/6 AMBIENT
	D	AIR TEMPERATURE SENSOR
329-010	D	TWO ON/OFF ROCKER SWITCHES IN THE DASH W
	D	ITH INDICATOR LIGHTS AND WIRE ROUTED TO
	D	CHASSIS AT BACK OF CAB, LABEL OPT
264-033	D	STEERING WHEEL MOUNTED ELECTRIC HORN CON
	D	TROL
482-001	D	BW TRACTOR PROTECTION VALVE
883-001	D	TRAILER HAND CONTROL BRAKE VALVE
842-006	D	DIGITAL TURBO AIR PRESSURE IN DRIVER DIS
	D	PLAY
841-998	D	NO FUEL VACUUM GAUGE
836-015	D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR
	D	IVER DISPLAY
660-008	D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W
	D	
	D	ITH DELAY
304-030	D	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HE
	D	ADLIGHTS SWITCH WITH PULL OUT FOR OPTION
	D	AL FOG/ROAD LAMPS
81B-003	D	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIV
	D	ER DISPLAY
882-021	D	TWO VALVE PARKING BRAKE SYSTEM WITH DASH
	D	VALVE CONTROL AUTONEUTRAL AND WARNING I
	D	NDICATOR
299-020	D	SELF CANCELING TURN SIGNAL SWITCH WITH D
	D	IMMER, HEADLAMP FLASH, WASH/WIPE/INTERMI
	D	TENT
298-046	D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
	D	WITH 40 AMP (20 AMP PER SIDE) TRAILER LA
	D	MP CAPACITY
2J8-998	D	NO LAMP MONITORING SYSTEM
869-998	D	NO MISCELLANEOUS GAUGES
	002	PAINT
065-000	D	PAINT: ONE SOLID COLOR
QUOTE		POTENTIAL QUOTE BNFD 1802141633
980-5F6	D	CAB COLOR A: L0006EB
	D	WHITE ELITE BC
986-020	D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS

	D	PAINT
987-995	D	CHASSIS SIDE FAIRINGS PAINTED SAME AS LOWER CAB SECTION OR FENDER
	D	PAINT-FRT WHEEL COLOR: NONE
962-998	D	PAINT-RR WHEEL COLOR: NONE
966-998	D	NO PUSHER/TAG WHEEL PAINT
96E-998	D	NO SPARE WHEEL PAINT
96F-998	D	BUMPER PAINTED SAME AS FENDERS/LOWER SECTION OF CAB
964-995	D	POTENTIAL QUOTE BNFD 1704251008
QUOTE		

QUOTE		POTENTIAL QUOTE BNFD 1705051428
QUOTE		POTENTIAL QUOTE BNFD 1801121117
976-998	D	NO EXTERIOR SUNVISOR PAINT
979-998	D	NO AERODYNAMIC ROOF DEVICE PAINT
963-998	D	NO UNDERCOAT
	002	ADDITIONAL SPECIFICATIONS
998-998	D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SERVICE PDI INSPECTION
	D	NO MODIFICATION CENTER SHIPPING INSTRUCTIONS
99B-998	D	NO INSPECTION-LABOR ONLY
	D	NONE
958-998	D	CROSSOVER FROM S/N:
999-998	D	HD9766
FGB-023	D	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
	002 010	DETROIT TRANSMISSION COVERAGE 5 YR/750K MILES/1,200K KM MY2018 AND LATER UNITS WITH DT12 BELOW AND EQUAL 110K LBS GCW. INCLUDES FACTORY INSTALLED PTO OPT.
996-001	D	DETROIT FRONT AXLE COVERAGE, LINEHAUL, 5 YEAR/750,000 MILES/1 200 000 KILOMETERS
	D	
MWT-004	S 002	
	S	
	S	
	S	
MWF-001	S 002	
	S	

RETAIL SUBTOTAL

P01-014	002	AIR TO OIL DISCOUNT FOR DT12 TRANSMISSION - NEW CASCADIA
---------	-----	--

TOTAL SUGGESTED RETAIL

DEALER NET

RCN-100	002	PRICE CONCESSION SYSTEM
WAI-4V8	004	EW3: SP DD15 HWY \$0 DED 4 YEARS/450,000 MILES/724,500 KM LESS ATS. FEX APPLIES
WAS-048	004	ALLIANCE BATTERY EXTENDED WARRANTY, 4 YEAR/450,000 MILE/720 000 KM
WA2-051	004	REFRIGERATOR: CQ HD STANDARD 4 YEARS/450,000 MILES/724,500 KM EXTENDED COVERAGE
WBB-289	004	TC4:SP HD STANDARD 4 YEARS/450,000 MILES/724,500 KM EXTENDED TRUCK COVERAGE
WBD-023	004	DETROIT CLUTCH 4 YEARS/450,000 MILES/724

WAG-009	004	,000 KM LESS CPCA, YOKES, RELEASE BEARIN G FEX APPLIES TOWING: 6 MONTHS/UNLIMITED MILES/KM EXTE NDED TOWING COVERAGE \$550 CAP FEX APPLIE S
RCA-001	002	ADDITIONAL DISCOUNT PER CONCESSION
P73-2FT	002	STANDARD DESTINATION CHARGE
PMU-017	002	2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR

FINAL PRICE DUE

WARNING SPECS/PRICES SUBJECT TO CHANGE